

Name	Provider	ExpireDescription	TrackerTypeName	Description
__cfduid	taboola.com	1 year	HTTP	Used by the content network, Cloudflare, to identify trusted web traffic.
AWSELB	ads.playground.xyz	1 day	HTTP	Used to distribute traffic to the website on several servers in order to optimise response times.
local_storage_support_test	Twitter.com	Persistent	HTML	The cookie is used in context with the local-storage function in the browser. This function allows the website to load faster by pre-loading certain procedures.
lang	cdn.syndication.twimg.com	Session	HTTP	Remembers the user's selected language version of a website.
_ga	snanews.de	2 years	HTTP	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
_gat	snanews.de	1 day	HTTP	Used by Google Analytics to throttle request rate
_gid	snanews.de	1 day	HTTP	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
_pk_id#	snanews.de	1 year	HTTP	Collects anonymous statistics on the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.
_pk_ses#	snanews.de	1 day	HTTP	Used by Piwik Analytics Platform to track page requests from the visitor during the session.
_ym_isad	Sputniknews.com	1 day	HTTP	This cookie is used to determine if the visitor has any adblocker software in their browser – this information can be used to make website content inaccessible to visitors if the website is financed with third-party advertisement.
_ym_uid	Sputniknews.com	1 year	HTTP	This cookie is used to collect non-personal information on the visitor's website behavior and non-personal visitor statistics.
d	quantserve.com	3 months	HTTP	Collects anonymous data on the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded with the purpose of generating reports for optimising the website content.
PugT	pubmatic.com	29 days	HTTP	Used to determine the number of times the cookies have been updated in the visitor's browser.

				Used to optimize the website's server efficiency.
__ab12#	bidtheatre.com	6 days	HTTP	Unclassified
__ab12#	sputniknews.com	2 years	HTTP	Unclassified
__widgetsettings	Twitter.com	Persistent	HTML	Unclassified
_cc_aud	crwdcntrl.net	269 days	HTTP	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.
_cc_cc	crwdcntrl.net	Session	HTTP	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.
_cc_dc	crwdcntrl.net	269 days	HTTP	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.
_cc_id	crwdcntrl.net	269 days	HTTP	Collects anonymous statistical data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The purpose is to segment the website's users according to factors such as demographics and

				geographical location, in order to enable media and marketing agencies to structure and understand their target groups to enable customised online advertising.
_dbefe	contextweb.com	Session	HTTP	Unclassified
kuid	krxd.net	179 days	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
_li_ss	liadm.com	29 days	HTTP	Unclassified
_ym_metrika_enabled	sputniknews.com	1 day	HTTP	This cookie is used to collect data on the visitor's behavior on the website - this information can be used to assign the visitor to a visitor segment, based on common preferences.
ab	agkn.com	1 year	HTTP	Unclassified
adaptv_unique_user_cookie	advertising.com	2 years	HTTP	Unclassified
AdServer/Pug	pubmatic.com	Session	Pixel	Unclassified
ANON_ID	tribalfusion.com	3 months	HTTP	Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.
APID	Advertising.com	1 year	HTTP	Collects information on visitor behaviour on multiple websites. This information is used on the website, in order to optimize the relevance of advertisement.
audience	spotxchange.com	1 year	HTTP	Unclassified
auid	acuityplatform.com	68 years	HTTP	Registers a unique user ID that recognises the user's browser when visiting websites that show ads from the same ad network. The cookie is used to collect statistical data of the visitor's movements and to generate targeted ads.
B	yahoo.com	1 year	HTTP	Collects anonymous data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The registered data is used to categorise the users' interest and demographical profiles with the

				purpose of customising the website content depending on the visitor.
bsw_sync	adhigh.net	1 year	HTTP	Unclassified
bsw_uid	4finance.com	1 year	HTTP	Unclassified
c	bidswitch.net	1 year	HTTP	Regulates synchronisation of user identification and exchange of user data between various ad services.
cicoid	basebanner.com	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
CMID	casalemedia.com	1 year	HTTP	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.
CMPRO	casalemedia.com	3 months	HTTP	Collects data on visitor behaviour from multiple websites, in order to present more relevant advertisement - This also allows the website to limit the number of times that the visitor is shown the same advertisement.
CMPS	casalemedia.com	3 months	HTTP	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.
cookie	onaudience.com	1 year	HTTP	Unclassified
ctsSegments	advertising.com	29 days	HTTP	Unclassified
cu	ipredictive.com	1 year	HTTP	Unclassified
done_redirects#	onaudience.com	1 day	HTTP	Unclassified
DPSync2	pubmatic.com	3 months	HTTP	Unclassified
dsp_id	netmng.com	6 months	HTTP	Unclassified
EE	exelator.com	119 days	HTTP	Unclassified
eud	rfihub.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.

everest_g_v2	everesttech.net	1 year	HTTP	Used for targeted ads and to document efficacy of each individual ad.
getuid/pubmatic	de17a.com	Session	Pixel	Unclassified
getuidnb	adnxs.com	Session	Pixel	Unclassified
gi_u	adhigh.net	1 year	HTTP	Used for targeted ads and to document efficacy of each individual ad.
GoogleAdServingTest	snanews.de	Session	HTTP	Used to register what ads have been displayed to the user.
gws	widespace.com	1 year	HTTP	Unclassified
hsk_#	exelator.com	119 days	HTTP	Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.
i	openx.net	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
i	yandex.ru	1 year	HTTP	Unclassified
i/jot/syndication	twitter.com	Session	Pixel	Unclassified
ibbid	ibillboard.com	1 year	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by thirdparty domains or ad-exchanges.
IDE	doubleclick.net	1 year	HTTP	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking on e of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.
idsync/ex/receive/check	tapad.com	Session	Pixel	Unclassified
KADUSERCOOKIE	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the

				same ad network. The ID is used to allow targeted ads.
KCCH	pubmatic.com	1 day	HTTP	Unclassified
KRTBCOOKIE_#	pubmatic.com	29 days	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
KTPCACOOKIE	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
lidid	liadm.com	2 years	HTTP	Unclassified
mapuid/yandex	yandex.ru	Session	Pixel	Unclassified
matchpubmatic	w55c.net	29 days	HTTP	Regulates synchronisation of user identification and exchange of user data between various ad services.
mc	quantserve.com	13 months	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
NID	google.com	6 months	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
pcs/activeview	googlesyndication.com	Session	Pixel	Unclassified
pcs/view	doubleclick.net	Session	Pixel	Unclassified
pd	openx.net	14 days	HTTP	Unclassified
pi	ml314.com	1 year	HTTP	Unclassified
pi	pubmatic.com	1 day	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
pixel/cookiesync	bttrack.com	Session	Pixel	Unclassified
pl_user_id	powerlinks.com	3 months	HTTP	Unclassified
PMFREQ_ON	pubmatic.com	1 day	HTTP	This cookie is used in conjunction with the functionality of the ad-delivery system, on the website.
pubmatic_sync	adhigh.net	1 year	HTTP	Unclassified
PUBMDCID	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the

				same ad network. The ID is used to allow targeted ads.
pubsyncexp	pubmatic.com	1 day	HTTP	Unclassified
pxrc	rlcdn.com	2 months	HTTP	This cookie registers non-personal data on the visitor. The information is used to optimize advertisement relevance.
r/collect	doubleclick.net	Session	Pixel	This cookie is used to send data to Google Analytics about the visitor's device and behavior. It tracks the visitor across devices and marketing channels.
ra1_uid	gwallet.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
repi	pubmatic.com	1 day	HTTP	Unclassified
rud	rfihub.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
ruds	rfihub.com	Session	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
RUN_ID	rundsp.com	3 months	HTTP	Unclassified
RUN_SYNC_1	rundsp.com	30 days	HTTP	Unclassified
servicing/cookie/match	adform.net	Session	Pixel	Unclassified
SPugT	pubmatic.com	29 days	HTTP	Unclassified
ssps:#	powerlinks.com	5 days	HTTP	Unclassified
sto-id-20480-bh	contextweb.com	1 day	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on

				websites that use the same ad network.
sync	bidswitch.net	Session	Pixel	Unclassified
sync/pubmatic/#	pr-bh.ybp.yahoo.com	Session	Pixel	Unclassified
SyncRTB2	pubmatic.com	3 months	HTTP	Unclassified
t_gid	taboola.com	1 year	HTTP	This cookie assigns a specific visitor ID, when the visitor interacts with ads or content from the website - this allows the website to target the visitor with similar ads or content.
taboola_session_id	taboola.com	Session	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by thirdparty domains or ad-exchanges.
taboola_usg	taboola.com	1 year	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.
TapAd_DID	tapad.com	2 months	HTTP	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.
TapAd_TS	tapad.com	2 months	HTTP	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.
TDCPM	adsvr.org	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
TDID	adsvr.org	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
test_cookie	doubleclick.net	1 day	HTTP	Used to check if the user's browser supports cookies.
tuuid	4finance.com	1 year	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC.

tuuid	bidswitch.net	1 year	HTTP	Registers whether or not the user has consented to the use of cookies.
tuuid	creative-serving.com	1 year	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC.
tuuid	programattik.com	2 years	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC.
tuuid_lu	4finance.com	1 year	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
tuuid_lu	bidswitch.net	1 year	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
tuuid_lu	creative-serving.com	1 year	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
tuuid_lu	mfadsvr.com	2 years	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
tuuid_lu	programattik.com	2 years	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
u	agkn.com	1 year	HTTP	Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.

u	erne.co	2 years	HTTP	Collects unidentifiable data that is sent to an unidentifiable source. The source's identity is kept secret by the company, Perfect Privacy LLC.
U	storygize.net	2 years	HTTP	Unclassified
ud	exelator.com	119 days	HTTP	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.
uid	adform.net	2 months	HTTP	Registers a unique user ID that recognises the user's browser when visiting websites that use the same ad network. The purpose is to optimise display of ads based on the user's movements and various ad providers' bids for displaying user ads.
uid	simpli.fi	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
uid	turn.com	179 days	HTTP	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.
UID	scorecardresearch.com	2 years	HTTP	Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.
UIDR	scorecardresearch.com	2 years	HTTP	Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.
user-0	spotxchange.com	1 year	HTTP	Unclassified
UserID1	Adition.com	180 days	HTTP	This cookie is used to collect information on a visitor. This

				information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by thirdparty domains or ad-exchanges.
uuid	mathtag.com	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
uuid2	adnxs.com	3 months	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
uuidc	mathtag.com	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
v	openx.net	1 day	HTTP	Unclassified
vst	gumgum.com	1 year	HTTP	Unclassified
watch/26863203/1	yandex.ru	Session	Pixel	Unclassified
watch/27090206/1	yandex.ru	Session	Pixel	Unclassified
watch/39394400/1	yandex.ru	Session	Pixel	Unclassified
webvisor/27090206	yandex.ru	Session	Pixel	Unclassified
wfivefivec	w55c.net	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
yabs-sid	yandex.ru	Session	HTTP	Unclassified
yandexuid	yandex.ru	10 years	HTTP	Unclassified
yp	yandex.ru	10 years	HTTP	Unclassified
_etn	exposebox.com	1 year	HTTP	Unclassified
_nauid	nrich.ai	1 year	HTTP	Unclassified
_ym_d	sputniknews.com	1 year	HTTP	Unclassified
_ym_metrika_enabled_26863203	sputniknews.com	1 day	HTTP	Unclassified
_ym_metrika_enabled_27090206	sputniknews.com	1 day	HTTP	Unclassified
_ym_metrika_enabled_39394400	sputniknews.com	1 day	HTTP	Unclassified
_ym_retryReqs	snanews.de	Persistent	HTML	Unclassified

_ym_visorc_26863203	sputniknews.com	1 day	HTTP	Unclassified
_ym_visorc_27090206	sputniknews.com	1 day	HTTP	Unclassified
_ym26863203_lastHit	snanews.de	Persistent	HTML	Unclassified
_ym26863203_lsid	snanews.de	Persistent	HTML	Unclassified
_ym26863203_reqNum	snanews.de	Persistent	HTML	Unclassified
_ym27090206_lastHit	snanews.de	Persistent	HTML	Unclassified
_ym27090206_lsid	snanews.de	Persistent	HTML	Unclassified
_ym27090206_reqNum	snanews.de	Persistent	HTML	Unclassified
_ym39394400_lsid	snanews.de	Persistent	HTML	Unclassified
_ym39394400_reqNum	snanews.de	Persistent	HTML	Unclassified
ab_inread	snanews.de	29 days	HTTP	Unclassified
cicoid	cbarsrv.com	1 year	HTTP	Unclassified
counter	a.ria.ru	Session	Pixel	Unclassified
cryptoid	adfox.ru	1 day	HTTP	Unclassified
cryptoid_actual	adfox.ru	1 day	HTTP	Unclassified
cryptoid_sign	adfox.ru	1 day	HTTP	Unclassified
GLB	a.ria.ru	9 days	HTTP	Unclassified
luid1	adfox.ru	1 day	HTTP	Unclassified
luid1_ts	adfox.ru	1 year	HTTP	Unclassified
metrika_enabled	sputniknews.com	1 day	HTTP	Unclassified
pair	tr.colpirio.com	Session	Pixel	Unclassified
pubmatic	um.simpli.fi	Session	Pixel	Unclassified
rheftjdd	snanews.de	Session	HTTP	Unclassified
services/counter	snanews.de	Session	Pixel	Unclassified
social	snanews.de	6 days	HTTP	Unclassified
spark_web	snanews.de	Persistent	HTML	Unclassified

sputnik_id	id.sputniknews.com	30 years	HTTP	Unclassified
sputnikde	snanews.de	1 year	HTTP	Unclassified
sputnik-de:session-data	snanews.de	Persistent	HTML	Unclassified
sync	rtb.mfadsrvr.com	Session	Pixel	Unclassified
taboola global:local-storage-keys	snanews.de	Persistent	HTML	Unclassified
taboola global:lspb	snanews.de	Persistent	HTML	Unclassified
taboola global:user-id	snanews.de	Persistent	HTML	Unclassified
trc_cache	snanews.de	Session	HTML	Unclassified
trc_cookie_storage	snanews.de	1 year	HTTP	Unclassified
trctestcookie	snanews.de	Session	HTTP	Unclassified
tuuid	mfadsrvr.com	2 years	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC. Initiator: Page source line number