

Name	Provider	ExpireDescription	TrackerTypeName	Description
<b>__cfduid</b>	taboola.com	1 year	HTTP	Used by the content network, Cloudflare, to identify trusted web traffic.
<b>AWSELB</b>	ads.playground.xyz	1 day	HTTP	Used to distribute traffic to the website on several servers in order to optimise response times.
<b>local_storage_support_test</b>	Twitter.com	Persistent	HTML	The cookie is used in context with the local-storage function in the browser. This function allows the website to load faster by pre-loading certain procedures.
<b>_#/redot.gif</b>	gemius.pl	Session	Pixel	Unclassified
<b>_ga</b>	sputnik-news.ee	2 years	HTTP	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
<b>_gat</b>	sputnik-news.ee	1 day	HTTP	Used by Google Analytics to throttle request rate
<b>_gid</b>	sputnik-news.ee	1 day	HTTP	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.
<b>_pk_id#</b>	ru.sputnik-news.ee	1 year	HTTP	Collects anonymous statistics on the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.
<b>_pk_ses#</b>	ru.sputnik-news.ee	1 day	HTTP	Used by Piwik Analytics Platform to track page requests from the visitor during the session.
<b>_ym_isad</b>	sputnik-news.ee	1 day	HTTP	This cookie is used to determine if the visitor has any adblocker software in their browser – this information can be used to make website content inaccessible to visitors if the website is financed with third-party advertisement.
<b>_ym_uid</b>	sputnik-news.ee	1 year	HTTP	This cookie is used to collect non-personal information on the visitor's website behavior and non-personal visitor statistics.
<b>d</b>	quantserve.com	3 months	HTTP	Collects anonymous data on the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded with the purpose of generating reports for optimising the website content.
<b>Gdyn</b>	gemius.pl	1608 days	HTTP	Unclassified
<b>gstorage</b>	gemius.pl	Persistent	HTML	Unclassified

<b>Gtest</b>	gemius.pl	1608 days	HTTP	Unclassified
<b>PugT</b>	pubmatic.com	29 days	HTTP	Used to determine the number of times the cookies have been updated in the visitor's browser. Used to optimize the website's server efficiency.
<b>__ab12#</b>	bidtheatre.com	6 days	HTTP	Unclassified
<b>__ab12#</b>	sputnik-news.ee	2 years	HTTP	Unclassified
<b>__gfp_64b</b>	sputnik-news.ee	999 days	HTTP	Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.
<b>__widgetsettings</b>	Twitter.com	Persistent	HTML	Unclassified
<b>_dbefe</b>	contextweb.com	Session	HTTP	Unclassified
<b>_fbp</b>	sputnik-news.ee	1 day	HTTP	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.
<b>_ym_metrika_enabled</b>	sputnik-news.ee	1 day	HTTP	This cookie is used to collect data on the visitor's behavior on the website - this information can be used to assign the visitor to a visitor segment, based on common preferences.
<b>AdServer/Pug</b>	pubmatic.com	Session	Pixel	Unclassified
<b>am-uid</b>	admixer.net	2 years	HTTP	This cookie is used to identify the visitor and optimize ad-relevance by collecting visitor data from multiple websites – this exchange of visitor data is normally provided by a third-party data-center or ad-exchange.
<b>ANON_ID</b>	tribalfusion.com	3 months	HTTP	Collects data on user visits to the website, such as what pages have been accessed. The registered data is used to categorise the user's interest and demographic profiles in terms of resales for targeted marketing.
<b>audience</b>	spotxchange.com	1 year	HTTP	Unclassified
<b>B</b>	yahoo.com	1 year	HTTP	Collects anonymous data related to the user's website visits, such as the number of visits, average time spent on the website and what pages have been loaded. The registered data is used to categorise the users' interest and

				demographical profiles with the purpose of customising the website content depending on the visitor.
<b>c</b>	bidswitch.net	1 year	HTTP	Regulates synchronisation of user identification and exchange of user data between various ad services.
<b>cd</b>	rubiconproject.com	Session	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>cicoid</b>	basebanner.com	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>cu</b>	ipredictive.com	1 year	HTTP	Unclassified
<b>DPSync2</b>	pubmatic.com	3 months	HTTP	Unclassified
<b>dsp_id</b>	netmng.com	6 months	HTTP	Unclassified
<b>eud</b>	rfihub.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>everest_g_v2</b>	everesttech.net	1 year	HTTP	Used for targeted ads and to document efficacy of each individual ad.
<b>fr</b>	facebook.com	3 months	HTTP	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.
<b>getuid/pubmatic</b>	de17a.com	Session	Pixel	Unclassified
<b>getuidnb</b>	adnxs.com	Session	Pixel	Unclassified
<b>gi_u</b>	adhigh.net	1 year	HTTP	Used for targeted ads and to document efficacy of each individual ad.
<b>GoogleAdServingTest</b>	ru.sputnik-news.ee	Session	HTTP	Used to register what ads have been displayed to the user.
<b>gws</b>	widespace.com	1 year	HTTP	Unclassified
<b>i</b>	openx.net	1 year	HTTP	Unclassified
<b>i</b>	yandex.ru	1 year	HTTP	Unclassified
<b>ibbid</b>	ibillboard.com	1 year	HTTP	This cookie is used to collect information on a visitor. This

				information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.
<b>IDE</b>	doubleclick.net	1 year	HTTP	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking on one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.
<b>idsync/ex/receive/check</b>	tapad.com	Session	Pixel	Unclassified
<b>KADUSERCOOKIE</b>	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
<b>KCCH</b>	pubmatic.com	1 day	HTTP	Unclassified
<b>KRTBCOOKIE_#</b>	pubmatic.com	29 days	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
<b>KTPCACOOKIE</b>	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
<b>mapuid/yandex</b>	yandex.ru	Session	Pixel	Unclassified
<b>matchpubmatic</b>	w55c.net	29 days	HTTP	Regulates synchronisation of user identification and exchange of user data between various ad services.
<b>mc</b>	quantserve.com	13 months	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
<b>NID</b>	google.com	6 months	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>ouuid</b>	volvelle.tech	1 year	HTTP	Unclassified
<b>ouuid_lu</b>	volvelle.tech	1 year	HTTP	Unclassified
<b>pi</b>	pubmatic.com	1 day	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.

<b>pixel/cookiesync</b>	bttrack.com	Session	Pixel	Unclassified
<b>pl_user_id</b>	powerlinks.com	3 months	HTTP	Unclassified
<b>PMFREQ_ON</b>	pubmatic.com	1 day	HTTP	This cookie is used in conjunction with the functionality of the ad-delivery system, on the website.
<b>pubmatic_sync</b>	adhigh.net	1 year	HTTP	Unclassified
<b>PUBMDCID</b>	pubmatic.com	3 months	HTTP	Registers a unique ID that identifies the user's device during return visits across websites that use the same ad network. The ID is used to allow targeted ads.
<b>pubsyncexp</b>	pubmatic.com	1 day	HTTP	Unclassified
<b>r/collect</b>	doubleclick.net	Session	Pixel	This cookie is used to send data to Google Analytics about the visitor's device and behavior. It tracks the visitor across devices and marketing channels.
<b>ra1_uid</b>	gwallet.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>remixlang</b>	vk.com	1 year	HTTP	Unclassified
<b>repi</b>	pubmatic.com	1 day	HTTP	Unclassified
<b>rud</b>	rfihub.com	1 year	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>ruds</b>	rfihub.com	Session	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>RUN_ID</b>	rundsp.com	3 months	HTTP	Unclassified
<b>RUN_SYNC_1</b>	rundsp.com	30 days	HTTP	Unclassified
<b>-serving/cookie/match</b>	adform.net	Session	Pixel	Unclassified
<b>SPugT</b>	pubmatic.com	29 days	HTTP	Unclassified

<b>ssps:#</b>	powerlinks.com	5 days	HTTP	Unclassified
<b>sto-id-20480-bh</b>	contextweb.com	1 day	HTTP	Registers anonymised user data, such as IP address, geographical location, visited websites, and what ads the user has clicked, with the purpose of optimising ad display based on the user's movement on websites that use the same ad network.
<b>sync/pubmatic/#</b>	pr-bh.ybp.yahoo.com	Session	Pixel	Unclassified
<b>SyncRTB2</b>	pubmatic.com	3 months	HTTP	Unclassified
<b>t_gid</b>	taboola.com	1 year	HTTP	This cookie assigns a specific visitor ID, when the visitor interacts with ads or content from the website - this allows the website to target the visitor with similar ads or content.
<b>taboola_session_id</b>	taboola.com	Session	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by thirdparty domains or ad-exchanges.
<b>taboola_usg</b>	taboola.com	1 year	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by third-party domains or ad-exchanges.
<b>TapAd_DID</b>	tapad.com	2 months	HTTP	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.
<b>TapAd_TS</b>	tapad.com	2 months	HTTP	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user.
<b>TDCPM</b>	adsvr.org	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>TDID</b>	adsvr.org	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>test_cookie</b>	doubleclick.net	1 day	HTTP	Used to check if the user's browser supports cookies.

<b>tr</b>	facebook.com	Session	Pixel	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.
<b>tuuid</b>	bidswitch.net	1 year	HTTP	Registers whether or not the user has consented to the use of cookies.
<b>tuuid</b>	creative-serving.com	1 year	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC.
<b>tuuid_lu</b>	bidswitch.net	1 year	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
<b>tuuid_lu</b>	creative-serving.com	1 year	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
<b>tuuid_lu</b>	mfadsrvr.com	2 years	HTTP	Contains a unique visitor ID, which allows Bidswitch.com to track the visitor across multiple websites. This allows Bidswitch to optimize advertisement relevance and ensure that the visitor does not see the same ads multiple times.
<b>U</b>	storygize.net	2 years	HTTP	Unclassified
<b>uid</b>	adform.net	2 months	HTTP	Registers a unique user ID that recognises the user's browser when visiting websites that use the same ad network. The purpose is to optimise display of ads based on the user's movements and various ad providers' bids for displaying user ads.
<b>uid</b>	simpli.fi	1 year	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>uid</b>	turn.com	179 days	HTTP	Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.
<b>UID</b>	scorecardresearch.com	2 years	HTTP	Collects information of the user and his/her movement, such as

				timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.
<b>UIDR</b>	scorecardresearch.com	2 years	HTTP	Collects information of the user and his/her movement, such as timestamp for visits, most recently loaded pages and IP address. The data is used by the marketing research network, Scorecard Research, to analyse traffic patterns and carry out surveys to help their clients better understand the customer's preferences.
<b>user-0</b>	spotxchange.com	1 year	HTTP	Unclassified
<b>UserID1</b>	Adition.com	180 days	HTTP	This cookie is used to collect information on a visitor. This information will become an ID string with information on a specific visitor – ID information strings can be used to target groups with similar preferences, or can be used by thirdparty domains or ad-exchanges.
<b>uuid</b>	mathtag.com	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
<b>uuid2</b>	adnxs.com	3 months	HTTP	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads.
<b>uuidc</b>	mathtag.com	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
<b>vst</b>	gumgum.com	1 year	HTTP	Unclassified
<b>watch/35627545</b>	yandex.ru	Session	Pixel	Unclassified
<b>watch/35627545/1</b>	yandex.ru	Session	Pixel	Unclassified
<b>webvisor/35627545</b>	yandex.ru	Session	Pixel	Unclassified
<b>wfivefivec</b>	w55c.net	1 year	HTTP	Collects data on the user's visits to the website, such as what pages have been loaded. The registered data is used for targeted ads.
<b>yabs-sid</b>	yandex.ru	Session	HTTP	Unclassified
<b>yandexuid</b>	yandex.ru	10 years	HTTP	Unclassified



<b>yp</b>	yandex.ru	10 years	HTTP	Unclassified
<b>_etn</b>	exposebox.com	1 year	HTTP	Unclassified
<b>_nauid</b>	nrich.ai	1 year	HTTP	Unclassified
<b>_sm_cm</b>	stat.media	29 days	HTTP	Unclassified
<b>_sm_sid</b>	stat.media	1 day	HTTP	Unclassified
<b>_sm_udt</b>	stat.media	1 year	HTTP	Unclassified
<b>_sm_uid</b>	stat.media	1 year	HTTP	Unclassified
<b>_ym_d</b>	sputnik-news.ee	1 year	HTTP	Unclassified
<b>_ym_metrika_enabled_35627545</b>	sputnik-news.ee	1 day	HTTP	Unclassified
<b>_ym_retryReqs</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>_ym_visorc_35627545</b>	sputnik-news.ee	1 day	HTTP	Unclassified
<b>_ym35627545_lastHit</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>_ym35627545_lsid</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>_ym35627545_reqNum</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>bci</b>	ok.ru	68 years	HTTP	Unclassified
<b>chash</b>	ru.sputnik-news.ee	1 year	HTTP	Unclassified
<b>cookiematching</b>	net.finam.ru	Session	Pixel	Unclassified
<b>cookiematching</b>	smi2.net	Session	Pixel	Unclassified
<b>cookiematching</b>	smi2.ru	Session	Pixel	Unclassified
<b>counter</b>	a.ria.ru	Session	Pixel	Unclassified
<b>cryptoid</b>	adfox.ru	1 day	HTTP	Unclassified
<b>cryptoid_actual</b>	adfox.ru	1 day	HTTP	Unclassified
<b>cryptoid_sign</b>	adfox.ru	1 day	HTTP	Unclassified
<b>GLB</b>	a.ria.ru	9 days	HTTP	Unclassified
<b>init/push</b>	target.smi2.net	Session	Pixel	Unclassified
<b>iuid11873</b>	24smi.net	1 day	HTTP	Unclassified
<b>landref</b>	ok.ru	Session	HTTP	Unclassified
<b>LentalInformStorage</b>	ru.sputnik-news.ee	Session	HTTP	Unclassified
<b>luid1</b>	adfox.ru	1 day	HTTP	Unclassified
<b>luid1_ts</b>	adfox.ru	1 year	HTTP	Unclassified
<b>metrika_enabled</b>	sputnik-news.ee	1 day	HTTP	Unclassified

<b>MG_Session_lastUpdate</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>MG_Session_lu</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>MG_Session_pr</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>mgMuidn</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>muidn</b>	lentaform.com	7007 days	HTTP	Unclassified
<b>nid</b>	smi2.ru	99 days	HTTP	Unclassified
<b>orbit</b>	ru.sputnik-news.ee	1 year	HTTP	Unclassified
<b>pair</b>	tr.colpirio.com	Session	Pixel	Unclassified
<b>pubmatic</b>	um.simpli.fi	Session	Pixel	Unclassified
<b>qw</b>	smi2.ru	2 months	HTTP	Unclassified
<b>qws</b>	smi2.ru	2 months	HTTP	Unclassified
<b>rheftjdd</b>	ru.sputnik-news.ee	Session	HTTP	Unclassified
<b>services/counter</b>	ru.sputnik-news.ee	Session	Pixel	Unclassified
<b>sputnik-ee</b>	sputnik-news.ee	1 year	HTTP	Unclassified
<b>sputnikrussia-estonia:session-data</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>svsfl</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>svsrn</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>svstm</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>taboola global:local-storage-keys</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>taboola global:lspb</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>taboola global:user-id</b>	ru.sputnik-news.ee	Persistent	HTML	Unclassified
<b>trc_cache</b>	ru.sputnik-news.ee	Session	HTML	Unclassified
<b>trc_cookie_storage</b>	ru.sputnik-news.ee	1 year	HTTP	Unclassified
<b>trctestcookie</b>	ru.sputnik-news.ee	Session	HTTP	Unclassified
<b>tt_init</b>	smi2.net	1 year	HTTP	Unclassified
<b>tt_init</b>	smi2.ru	1 year	HTTP	Unclassified
<b>tt_ses</b>	smi2.ru	1 day	HTTP	Unclassified
<b>tt_uid</b>	smi2.net	1 year	HTTP	Unclassified
<b>tt_uid</b>	smi2.ru	1 year	HTTP	Unclassified

<b>tt_v</b>	smi2.net	1 year	HTTP	Unclassified
<b>tt_v</b>	smi2.ru	1 year	HTTP	Unclassified
<b>tuuid</b>	mfadsrvr.com	2 years	HTTP	Collects unidentifiable data, which is sent to an unidentifiable receiver. The receiver's identity is kept secret by Perfect Privacy LLC.